

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2026-2027

Clinical Material in Hospital

Name of College/Institute- Aditya Basic B.Sc. Nursing College, Beed.

Faculty- Nursing

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site	300 Bedded Parent Hospital	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	Municipality	Adequate
b.	Student Bed Ratio for UG & PG to be verified: (As per MSR) Calculate at Actual 1:3	300	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%) 80%	85%	-
d.	Clinical facilities for PG to be verified:-(As per MSR)	NA	NA
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	200 200 61 47	YES
<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College. If Infrastructure is available, then mark "Adequate" & do not attach any Documents it should be available on college website In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report 			


Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief
Any Other, Please Specify:-

Date:-

Chairman of LIC

Member Of LIC

Dean/ Principal Stamp & Signature


Aditya Basic B.Sc Nursing College
Member Of LIC
Beed



महाराष्ट्र MAHARASHTRA

2022

39AA 786542

मुद्रांक विभागाचे नॉटरी अन्वये दि

मुद्रांक विभाग येथील नॉटरी कार्यालय, रविवासाक
पुणे येथे

डॉ. बा. शिंदे


मुद्रांक विभाग येथे

प.क्र. १ यड २ दि. १८

५७० रु ८१६
२०२३

आदिप्य (मुद्रांक) रु २०२

६०० रु १५०० रु ८



MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 18th Day July month 2024th year between

Jeevanjyot Hospital, Beed Hospital which is represented by its **Medical Director** herein named as party one


and

Aditya Basic B.Sc. Nursing Sarada Estate, Pimpalner Road, Beed College of Nursing represented by its **Principal** herein named as party two

The parties hitherto agree as follows:


1. Party one declares that **Jeevanjyot Hospital** is a 70 bedded hospital, with a minimum of 38 beds for General Medicine Department.
2. Party one agrees to provide to party two the minimum space necessary of 1200 square feet in the hospital building to establish Nursing Practice department for the conduct of Practical.

3. Party one agrees to provide preceptors required to train the Nursing students.
4. Party one agrees that, it will not enter into similar agreement with any other Nursing institution/s or department/s offering or intend to offer Nursing programs.
5. The prospective students will be allowed to undergo training in the following specialty departments
 - Medicine
 - Surgery
 - Pediatrics
 - Gynecology and Obstetrics
 - Psychiatry
 - Skin and VD
 - Orthopedics
6. Party two will provide the academic staff and necessary infrastructure for Nursing course as per the MNC norms and takes the overall responsibility for smooth conduct of the programs.
7. This agreement is to be in effect at least for ten years from the time of its endorsement by both the parties. The Hospital will not sign the MOU for sharing of the hospital facilities with any other Nursing institution till the present agreement / MOU is in effect.
8. The officials representing **Dr. Vishwas Gawate, Jeevanjyot Hospital and Shreeshailya Patil Aditya Basic B.Sc. Nursing, Principal** are signing this MOU to achieve the beneficial objectives of Nursing programs.



Gawate
Signature

Hospital authority [party one]



[Signature]
Signature

Principal, [party two]
Aditya Basic B.Sc. Nursing

BEFORE ME

[Signature]
Adv. KEKAN G.M.
ADVOCATE NOTARY
Dist. Court Beed.
2

FFIDAVIT

Sworn before me by
 Dr. Vishwas Gawate
 on the day of 16/1/2024
 who has been identified by [Signature]
 who is personally known to me
 and whose signature is/are here
 to appended below date 16/1/2024

Noted and Listed at BEED.

Sr.No. 12024 of Notary
 Register Date- 16/1/2024

जा. क्र. गि. क्र. बी.डी - 489/24



Certificate of Registration Under Section 5 of
the Bombay Nursing Homes



Registration Act, 1949
(Under Rule 5)

This is to Certify that Shri/Shrihati Dr. Vishwas Baliram Gawate
" Jeevanjyot Hospital " has been registered under

District Hospital, Beed Situated at K.S.K. College Road,
Shivaji Nagar, Beed.
and has been authorised to carry on the said Nursing Home.

Registration No. B-250 Maternity — Cots —

Date of Registration 24/04/2024 Other Nursing Patients 70 Cots Sixty

Place: Beed.

Date of Issue of Certificate 25/04/2024

This Certificate shall be valid up to 31st March 2027

C/Side
24/04/2024

LOCAL SUPERVISORY AUTHORITY
Civil Surgeon
District Hospital, Beed.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/S.S.I

Date: 08/08/2024

No:- Format1.0/PSO/UAN No.0000202343/CE/2408000742

To,
M/s. JEEVANJYOT HOSPITAL.
S. No. 178, At. Shivaji Nagar, K.S.K. College Road,
Tal & Dist-Beed-431122
Email: vgavate@yahoo.com
Contact No.:9370445444



Your Service is Our Duty

Grant consent to Establish under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Your application for Combine Consent and Bio-Medical Waste Authorization dated 12/03/2024
 2. This office e-mail on 03/06/2024
 3. SCN for refusal issued on 04/07/2024
 4. Documents uploaded on 04/07/2024, 10/07/2024, 16/07/2024, 27/07/2024 & 01/08/2024
 5. Penal Fee paid on 01/08/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The Maharashtra Pollution Control Board hereby grant Consent to Establish for Commissioning of Unit or 5 years whichever is earlier.
2. The capital investment of the HCF is ₹854.93 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 679.82 M² with Built-up area 1500.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **70 Nos.** (As per BNH certificate no. CWM2324000715 valid upto 31-03-2027)
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 28 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Champavati Waste Management, Beed** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 10.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the Bank Guarantee of Rs. 1.00 Lakh towards installation of STP & ETP for treatment of waste water generation within Six months period from the issuance of CCA.
18. You shall submit the bank guarantee of Rs. 50,000 towards provision of Separate BMW Storage Area as per guidelines of CPCB.
19. You shall apply for 1st consent to operate with relevant documents viz., BNH Certificate, CBWTF Membership, installation Certificate STP & ETP & BMW Separate Storage Area details etc, before commencement of the Hospital activity.
20. You shall submit the bank guarantee of Rs. 1.50 Lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Aurangabad within 15 days. Non submission of B.G. in specified time shall attract 12% interest on BG amount.
21. You shall not take any effective steps till obtaining 1st Consent to Operate from Board.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Ramesh Thakur

Generated by Pranzibot
 f8c7bc32
 4e58d2f0
 9adb1b92
 bf4c3274
 fa2d12aa
 1122462f
 f26000b2
 29b61b43

Signed by: Dr. Vishwajeet Ramesh Thakur
 Principal Scientific Officer
 For and on behalf of,
 Maharashtra Pollution Control Board
 pso@mpcb.gov.in
 2024-08-08 11:34:47 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	25000.00	TXN2403002186	12/03/2024	Online Payment
2	9110.00	TXN2407004696	01/08/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Jalna
- Regional Officer, MPCB Chhatrapati Sambhajinagar is directed to ensure submission of fresh Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.
SRO - Jalna is directed to ensure the compliance of the CCA conditions.
2. Cheif Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	25.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	3.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	20.0	As per clause 'C'	50% recycle for flushing in toilet and 50% in Municipal Sewer Line
2	Trade effluent	2.0	As per clause 'C'	100% for gardening

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d. Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	0.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	0.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	0.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
3	White (Translucent)	Waste sharps including Metals	0.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
		b) Metallic body implants	0.00		

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Champavati Waste Management, Beed** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Performance		
1	To provide separate BMW storage facility as per CPCB Guidelines	Six Month	50,000.00
2	To provide STP & ETP with adequate capacity	Six months	100,000.00
Total			1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.



General Conditions**The following general conditions shall apply:-**


1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.


This certificate is digitally & electronically signed.



3. Party one agrees to provide preceptors required to train the Nursing students.
4. Party one agrees that, it will not enter into similar agreement with any other Nursing institution/s or department/s offering or intend to offer Nursing programs.
5. The prospective students will be allowed to undergo training in the following specialty departments
 - Medicine
 - Surgery
 - Pediatrics
 - Gynecology and Obstetrics
 - Psychiatry
 - Skin and VD
 - Orthopedics
6. Party two will provide the academic staff and necessary infrastructure for Nursing course as per the MNC norms and takes the overall responsibility for smooth conduct of the programs.
7. This agreement is to be in effect at least for ten years from the time of its endorsement by both the parties. The Hospital will not sign the MOU for sharing of the hospital facilities with any other Nursing institution till the present agreement / MOU is in effect.
8. The officials representing **Dr. Sunil Tidke, Tidke Hospital** and **Mr. Shreeshailya Patil** Principal, Aditya Basic B.Sc. Nursing College are signing this MOU to achieve the beneficial objectives of Nursing programs.


Signature

Hospital authority [party one]


Signature

Principal, [party two]
Aditya Basic B.Sc. Nursing College



जा.क्र.जि.क.बीड-327

सत्यमेव जयते

Certificate of Registration Under Section 5 of the Bombay Nursing Homes



Registration Act, 1949
(Under Rule 5)

This is to Certify that Shri / Shrimati Dr. Sunil Bhagwan rao Tidke
"Tidke Hospital" has been registered under

District Hospital, Beed situated at In front of Someshwar Nagar
and has been authorised to carry on the said Nursing Home, Barshi Road Beed.

Registration No. B-90 Maternity 25 Cots Twenty Five
Date of Registration 08/08/2008 Other Nursing Patients 10 Cots Ten

Place : Beed.

Date of Issue of Certificate : 06/04/2023

This Certificate shall be valid up to 31st March 2026



LOCAL SUPERVISORY AUTHORITY

Civil Surgeon
District Hospital, Beed.

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 0240-2473461/63

Email : roaurangabad@mpcb.gov.in



Regional Office,
Paryavaran Bhawan, A-4/1, MIDC Area Chikalthana,
Near Seth Nandlal Dhoot Hospital, Jalna Road,
Aurangabad-431210.

"Your Service is our Duty"

LETTER OF BIO-MEDICAL WASTE AUTHORISATION

[Authorization for Generation of Bio-Medical Wastes under Rule 7(4)]

- I. File number of authorisation and date of issue
RO-AURANGABAD/BMW-AUTH/2205000041 Date: 02/12/2022
- II. M/s. Tidke Hospital, is hereby granted an authorization for generation of biomedical waste on the premises situated at Barshi Road Beed.
- III. This authorization shall valid for a period up to 31/12/2024. An application shall be made by the occupier/operator for renewal 3 Months before expiry of earlier authorisation.
- IV. This authorisation is issued subject to compliance of the conditions stated below and to such other conditions as may be specified in the Rules for the time being in force under the Environment (Protection) Act, 1986.
- V. No of Beds: 35

Terms and Conditions of authorization

1. The "authorized Person" Dr. Sunil Bhagwanrao Tidke shall comply with the provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
2. The authorization shall be produced for inspection at the request of an officer authorized by the prescribed authority i.e. Member Secretary, MPCB.
3. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
4. The authorization is granted for generation of Bio-Medical Waste (BMW) in waste Categories and quantities listed here in below:

Category	Type of Waste	Type of Bag or Container to be used	Quantity Kg/Month	Treatment and Disposal options
1	2	3	4	5
Yellow	(a) Human Anatomical Waste: Human tissues, organs, body parts and fetus below the viability period (as per the Medical Termination of Pregnancy Act 1971, amended from time to time).	Yellow coloured non-chlorinated plastic bags	4.0	CBMWTSDF Beed

MPCB-BMW_AUTH-0000039118


1



	<p>(b) Animal Anatomical Waste : Experimental animal carcasses, body parts, organs, tissues, including the waste generated from animals used in experiments or testing in veterinary hospitals or colleges or animal houses.</p>		--	
	<p>(c) Soiled Waste: Items contaminated with blood, body fluids like dressings, plaster casts, cotton swabs and bags containing residual or discarded blood and blood components.</p>		4.0	CBMWTSDF Beed
	<p>(d) Expired or Discarded Medicines: Pharmaceutical wastelike antibiotics, cytotoxic drugs including all items contaminated with cytotoxic drugs along with glass or plastic ampoules, vials etc.</p>	Yellow coloured non-chlorinated plastic bags or containers	--	CBMWTSDF Beed
	<p>(e) Chemical Waste: Chemicals used in production of biological and used or discarded disinfectants.</p>	Yellow coloured containers or non-chlorinated plastic bags	--	CBMWTSDF Beed
	<p>(f) Chemical Liquid Waste : Liquid waste generated due to use of chemicals in production of biological and used or discarded disinfectants, Silver X-ray film developing liquid, discarded Formalin, infected secretions, aspirated body fluids, liquid from laboratories and floor washings, cleaning, house-keeping and disinfecting activities etc.</p>	Separate collection system leading to effluent treatment system	--	After resource recovery, the chemical liquid waste shall be pre-treated before mixing with other wastewater. The combined discharge shall conform to the discharge norms given in Schedule-II
	<p>(g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.</p>	Non-chlorinated yellow plastic bags or suitable packing material	--	

M.P.

25/12/2014



MPCB-BMW AUTH-016/039118

	(h) Microbiology, Biotechnology and other clinical laboratory waste: Blood bags, Laboratory cultures, stocks or specimens of microorganisms, live or attenuated vaccines, human and animal cell cultures used in research, industrial laboratories, production of biological, residual toxins, dishes and devices used for cultures.	Autoclave safe plastic bags or containers	--	CBMWTSDF Beed
Red	Contaminated Waste (Recyclable) (a) Wastes generated from disposable items such as tubing, bottles, intravenous tubes and sets, catheters, urine bags, syringes (without needles and fixed needle syringes) and vaccutainers with their needles cut) and gloves.	Red coloured non-chlorinated plastic bags or containers	5.0	CBMWTSDF Beed
White (Translucent)	Waste sharps including Metals: Needles, syringes with fixed needles, needles from needle tip cutter or burner, scalpels, blades, or any other contaminated sharp object that may cause puncture and cuts. This includes both used, discarded and contaminated metal sharps	Puncture proof, Leak proof, tamper proof containers	3.0	CBMWTSDF Beed
Blue	(a) Glassware: Broken or discarded and contaminated glass including medicine vials and ampoules except those contaminated with cytotoxic wastes.	Cardboard boxes with blue colored marking	--	
	(b) Metallic Body Implants	Cardboard boxes with blue colored marking	--	

No onsite treatment of BMW is permitted. The above mentioned Bio Medical Waste shall be sent to Common BMW Treatment and Disposal facility authorized by MPCB for Beed.-
M/s. Champavati Waste Management, Laxman Nagar, Barshi Road, Beed..

5. The liquid / solid waste generated from the treatment activity (from laboratory and washing, cleaning, housekeeping and disinfecting activities) shall be treated suitably by providing effluent treatment facility to conform the standards prescribed in Schedule V of said Rules and the Environment (Protection) Act, 1986.
6. i) BMW shall not be mixed with other wastes or reused or solid in any form.
(ii) BMW shall be segregated into containers / bags at the point of generation in accordance with Schedule-II prior to storage, treatment and disposal. The containers shall be labeled according to Schedule III.
(iii) If a container containing BMW is to be transported from the premises where BMW is generated to any waste treatment facility outside the premises, the container shall, apart from the Label prescribed in Schedule III, also carry information prescribed in Schedule IV and

MPCB-BMW_AUTH-0000039118



vi) The Hospital shall not carry any expansion, change, Addition, Modification, and Modernization in the existing set up till to obtain prior permission from the Board.

10. The Hospital Authority shall furnish the following BG's towards compliance of conditions of authorization within 15 days from date of issuance of the authorization as per Circular of MPCB, HQ, Mumbai vide letter No. MPCB/PSO/BMW/B-1825 dtd.10.04.2013.

Sr. No.	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount	Bank Guarantee(s) validity
I (A)	Operation and Maintenance			
1	To Segregate and Handle BMW as per Rule	Continuous	25,000/-	31/12/2024
I (B)	Records			
1	To Maintain records of BMW and submission of Annual Report in Form -II before 31 st January	Continuous	15,000/-	31/12/2024
2	To maintain records of BMW material delivered to CBMWTSDF	Continuous	10,000/-	31/12/2024
II	Performance			
1	To provide Separate BMW storage facility As per guidelines of CPCB.	Continuous	25,000/-	31/12/2024
	Total		75,000/-	

(i) The above Bank Guarantee(s) shall be submitted by the applicant at the respective Regional Office within 15 days of the date of issue of BMW Authorization.

11. The Board reserves the right to review, amend, suspend, revoke etc. this authorization and same shall be binding on the hospital authority.

12. This authorization should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.

To,
M/s. Tjdke Hospital,
Barshi Road Beed.



(Dr. P.M. Joshi)
Regional Officer, Aurangabad

Authorization Fees Received:-

Sr no	Amount	TXN. Number	Date	Bank
1	7500/-	TXN2112002891	24-12-2021	E payment--

Copy to: Sub-Regional Officer, MPCB, Jalna.




महाराष्ट्र MAHARASHTRA

© 2022 ©

39AA 786541

१) मुद्रांक विक्री नोंदवही अनु.क्र. १६
२) मुद्रांक विक्रीत प्रेरणादायक नोंद, एडिवासाक
पत्रा न सही
ड. वा. पाठक
मुद्रांक विक्रीत एंड
प.क्र. १ सार इ. सि. क

५०० दि ८१६
२०२४
आदित्य एडुकेशन २२२
६०० एडुकेशन २२२



MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 18th Day July month 2024 Year between **Mauli Mind Care Hospital, Beed Hospital** which is represented by its **Medical Director** herein named as party one

And

Aditya Basic B.Sc. Nursing Sarda Estate, Pimpalner Road, Beed College of Nursing represented by its **Principal** herein named as party two

The parties hitherto agree as follows:

1. Party one declares that **Mauli Mind Care Hospital, Beed** is a 70 bedded hospital, with a minimum of 20 beds for Psychiatric Department.
2. Party one agrees to provide to party two the minimum space necessary of 1200 square feet in the hospital building to establish Nursing Practice department for the conduct of Practical.
3. Party one agrees to provide preceptors required to train the Nursing students. 1
4. Party one agrees that, it will not enter into similar agreement with any other Nursing institution/s or department/s offering or intend to offer Nursing programs.

5. The prospective students will be allowed to undergo training in the following specialty departments
 - Psychiatry
6. Party two will provide the academic staff and necessary infrastructure for Nursing course as per the MNC norms and takes the overall responsibility for smooth conduct of the programs.
7. This agreement is to be in effect at least for ten years from the time of its endorsement by both the parties. The Hospital will not sign the MOU for sharing of the hospital facilities with any other Nursing institution till the present agreement / MOU is in effect.
8. The officials representing **Dr. Rahul Mogale, Mauli Mind Care Hospital, Beed** and **Mr. Shreeshailya Patil** Aditya Basic B.Sc. Nursing, Principal are signing this MOU to achieve the beneficial objectives of Nursing programs.



Mogale
Signature

Hospital authority [party one]




[Signature]
Signature

Principal, [party two]
Aditya Basic B.Sc. Nursing

BEFORE ME

[Signature]

Adv. KEKAN G.M.
ADVOCATE NOTARY
Dist. Court Beed.



Noted and Listed at BEED.

Sr.No. 92024 Notary
Register Date- 16/7/2024

FFIDAVIT

Sworn before me by

Pr Principal of Aditya Basic B.Sc. Nursing
on the day of 16/7/2024
who has been identified by Adv. Kekan G.M.
who is personally known to me
and whose signature is/are here
to appended below date 16/7/2024

Beed B.Sc. Nursing

गौ.बु.गि.क.बीड - 510/24



Certificate of Registration Under Section 5 of
the Bombay Nursing Homes



Registration Act, 1949
(Under Rule 5)

This is to Certify that Shri/Shy./matr. Dr. Rohit Toshniwal

" Swami Vivekanand Multi-speciality Hospital
..... has been registered under

District Hospital, Beed Situated at Balasahab Thakur Nagar,
Near St. Ann's School, Jaha Rd,
and has been authorised to carry on the said Nursing Home. Beed.

Registration No. B-140 Maternity..... - Cots..... -

Date of Registration 14/15 Other Nursing Patients 55 Cots Fifty five

Place: Beed

Date of Issue of Certificate: 03/05/2024

This Certificate shall be valid up to 31st March 2027

Csb2c
03/05/24

LOCAL SUPERVISORY AUTHORITY
Civil Surgeon
District Hospital, Beed.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

ORANGE/S.S.I

No:- Format1.0/PSO/UAN No.0000189664/CO/2402001222

Date: 14/02/2024

To,
M/s. Swami Vivekanand Multispecialist Hospital,
Plot. No. 01, Balasaheb Thakre Nagar, Netradham
Road, Near Saint Ann's School, Beed-431122
Email: rohittoshniwal83@gmail.com
Contact No.:9145156006



LIFE
Lifestyle for
Environment



Your Service is Our Duty

Combined Consent to Establish & 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:
1. Your application for Combine Consent and Bio-Medical Waste Authorization dated 12/12/2023
 2. This office e-mail on 12/02/2024.
 3. Documents uploaded on 13/02/2024
 4. Penal Fee paid on 30/12/2023

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Establish & 1st operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **12-09-2023** To **12-09-2025**
2. The capital investment of the HCF is **₹194.57** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 648.00 M² with Built-up area 1923.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **55 Nos.** (As per BNH certificate no. 140 valid upto 31-03-2024)
 - I. General Beds : **36 Nos**
 - II. ICCU/ICU Beds : **8 Nos**
 - III. Operation Theatre : **1 Nos**
 - IV. Other Beds : **10 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 25 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	Biological Sludge	-	As per Actual	Kg/Annum	-

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Water Grace Products, Aurangabad** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of Rs. 25,000 towards provision of Separate BMW Storage Area as per guidelines of CPCB within six month from the issuance of CCA.
18. You shall submit the bank guarantee of Rs. 1.00 Lakh towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Aurangabad within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



Ramesh Thakur

Generated by eSign@MPCB
6fff84e4
0806c215
7ac833d5
f46c6a12
9eb9369c
a2bf97da
56cd68b7
03d5f7a2

Signed by: Dr. Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2024-02-14 23:10:50 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	30000.00	TXN2312002152	12/12/2023	Online Payment
2	9123.00	TXN2312005859	30/12/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Jalna
- Regional Officer, MPCB Chhatrapati Sambhajnagar is directed to ensure submission of fresh Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.
SRO - Jalna is directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	25.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	25	As per clause 'C'	50% recycle for flushing in toilet and 50% in Municipal Sewer Line
2	Trade effluent	0	As per clause 'C'	-

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	50.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Water Grace Products, Aurangabad Aurangabad
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	155.00		
		d) Expired or Discarded Medicines	50.00		
		e) Chemical Waste	0.00	Separate collection system leading to effluent treatment system.	
		f) Chemical Liquid Waste	0.00		
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	30.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	30.00	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	105.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Water Grace Products, Aurangabad Aurangabad
3	White (Translucent)	Waste sharps including Metals	20.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Water Grace Products, Aurangabad Aurangabad
4	Blue	a) Glassware	30.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Water Grace Products, Aurangabad Aurangabad
		b) Metallic body implants	15.00		

Responsibilities of CBWTF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Water Grace Products, Aurangabad** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	25,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	25,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	15,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	10,000.00
2	Performance		
1	To provide Separate BMW Storage Area as per guidelines of CPCB.	Six Month	25,000.00
Total			1,00,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.

