

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 2026-2027

Clinical Material in Hospital

Name of College/Institute- Aditya Basic B.Sc. Nursing College, Beed.

Faculty- Nursing

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site	300 Bedded Parent Hospital	Adequate
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	Municipality	Adequate
b.	Student Bed Ratio for UG & PG to be verified: (As per MSR) Calculate at Actual 1:3	300	Adequate
c.	Average Bed Occupancy in % : (Minimum 75%) 80%	85%	-
d.	Clinical facilities for PG to be verified:-(As per MSR)	NA	NA
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)	200 200 61 47	YES
- As per Central Council Norms/ University Norms, above Infrastructure must be available at College. - If Infrastructure is available, then mark "Adequate" & do not attach any Documents it should be available on college website - In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief
 Any Other, Please Specify:-

Date:-

Chairman of LIC

Member Of LIC

Dean/ Principal Stamp & Signature
 Aditya Basic B.Sc Nursing College
 Beed
 Member Of LIC



महाराष्ट्र MAHARASHTRA

2022



39AA 786542

महाराष्ट्र विधी नॉडवही अनु. ४ दि
से मुद्रांक विधिवत घेण्याबाबत नॉड, रजिस्ट्रार कार्यालय
हस्त न सही

ड. वि. पांडव
मुद्रांक विधेता दीव
प.स. १ पद २ सि. ५

५६० दि ८१६
२०२३

आदित्य एडुकेशनल ट्रस्ट
होते दिने मद्रास



MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 18th Day July month 2024 Year between

Jeevanjyot Hospital, Beed Hospital which is represented by its Medical Director herein named as party one

and

Aditya Basic B.Sc. Nursing Sarda Estate, Pimpalner Road, Beed College of Nursing represented by its Principal herein named as party two

The parties hitherto agree as follows:

1. Party one declares that Jeevanjyot Hospital is a 70 bedded hospital, with a minimum of 38 beds for General Medicine Department.
2. Party one agrees to provide to party two the minimum space necessary of 1200 square feet in the hospital building to establish Nursing Practice department for the conduct of Practical.

3. Party one agrees to provide preceptors required to train the Nursing students.
4. Party one agrees that, it will not enter into similar agreement with any other Nursing institution/s or department/s offering or intend to offer Nursing programs.
5. The prospective students will be allowed to undergo training in the following specialty departments
- Medicine
 - Surgery
 - Pediatrics
 - Gynecology and Obstetrics
 - Psychiatry
 - Skin and VD
 - Orthopedics
6. Party two will provide the academic staff and necessary infrastructure for Nursing course as per the MNC norms and takes the overall responsibility for smooth conduct of the programs.
7. This agreement is to be in effect at least for ten years from the time of its endorsement by both the parties. The Hospital will not sign the MOU for sharing of the hospital facilities with any other Nursing institution till the present agreement / MOU is in effect.
8. The officials representing **Dr. Vishwas Gawate, Jeevanjyot Hospital** and **Shreeshailya Patil** Aditya Basic B.Sc. Nursing, Principal are signing this MOU to achieve the beneficial objectives of Nursing programs.



Gawate
Signature

Hospital authority [party one]

Signature
Signature

Principal, [party two]

Aditya Basic B.Sc. Nursing

BEFORE ME

Adv. Kekan G.M.
Adv. KEKAN G.M.
ADVOCATE NOTARY
Dist. Court Beed.
2

AFFIDAVIT
Sworn before me by
Vishwas Gawate
on the day of *16/1/2024*
who has been identified by *Asst. Secy*
who is personally known to me
and whose signature is/are here
to appended below date *16/1/2024*

Noted and Listed at BEED.
Sr.No. *12024* of Notary
Register Date- *16/1/2024*

गौ. प्र. वि. क्र. बी. १५ - ४८९/२४



Certificate of Registration Under Section 5 of
the Bombay Nursing Homes

Registration Act, 1949
(Under Rule 5)

This is to Certify that Shri/Shri^{mat} Dr. Vishwas Boleam Gawate

"Jeevanjyot Hospital" has been registered under

District Hospital, Beed Situated at K.S.K. College Road,
Shivaji Nagar, Beed.

and has been authorised to carry on the said Nursing Home.

Registration No. B-250 Maternity.....Cots.....

Date of Registration 24/04/2024 Other Nursing Patients 7P Cots Seventy

Place: Beed.

Date of Issue of Certificate 25/04/2024

This Certificate shall be valid up to 31st March 2027

(Gsb)C
24/04/2024

LOCAL SUPERVISORY AUTHORITY

Civil Surgeon

Dist. Hospital, Beed

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psa@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/S.S.I

Date: 08/08/2024

No:- Format1.0/PSO/UAN No.0000202343/CE/2408000742

To,
M/s. JEEVANJYOT HOSPITAL.
S. No. 178, At. Shivaji Nagar, K.S.K. College Road,
Tal & Dist-Beed-431122
Email: vgavate@yahoo.com
Contact No.: 9370445444



Your Service is Our Duty

Grant consent to Establish under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref: 1. Your application for Combine Consent and Bio-Medical Waste Authorization dated 12/03/2024
2. This office e-mail on 03/06/2024
3. SCN for refusal issued on 04/07/2024
4. Documents uploaded on 04/07/2024, 10/07/2024, 16/07/2024, 27/07/2024 & 01/08/2024
5. Penal Fee paid on 01/08/2024

After examining the proposal, The Maharashtra Pollution Control Board hereby grant consent to Establish to HCE under Section 25 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. The Maharashtra Pollution Control Board hereby grant Consent to Establish for Commissioning of Unit or 5 years whichever is earlier.
2. The capital investment of the HCF is ₹854.93 Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 679.82 M² with Built-up area 1500.00 M².
4. **Activities Included**
a. Total Number of Beds : **70 Nos.** (As per BNH certificate no. CWM2324000715 valid upto 31-03-2027)
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 28 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.

2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDf and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
NA					

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Champavati Waste Management, Beed** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
- 10.** You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11.** Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the Bank Guarantee of Rs. 1.00 Lakh towards installation of STP & ETP for treatment of waste water generation within Six months period from the issuance of CCA.
18. You shall submit the bank guarantee of Rs. 50,000 towards provision of Separate BMW Storage Area as per guidelines of CPCB.
19. You shall apply for 1st consent to operate with relevant documents viz., BNH Certificate, CBWTF Membership, installation Certificate STP & ETP & BMW Separate Storage Area details etc, before commencement of the Hospital activity.
20. You shall submit the bank guarantee of Rs. 1.50 Lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Aurangabad within 15 days. Non submission of B.G. in specified time shall attract 12% interest on BG amount.
21. You shall not take any effective steps till obtaining 1st Consent to Operate from Board.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Handwritten signature of Dr. Vishwajeet Ramesh Thakur

Generated by Prasthika
f8c7bc32
4e58d2f0
9adb1b92
bf4c3274
fa2d12aa
1122462f
f26000b2
29b61b43

Signed by: Dr. Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
psa@mpcb.gov.in
2024-08-08 11:34:47 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	25000.00	TXN2403002186	12/03/2024	Online Payment
2	9110.00	TXN2407004696	01/08/2024	Online Payment

Copy to:

1. Regional Officer, MPCB, Aurangabad and Sub-Regional Officer, MPCB, Jalna
- Regional Officer, MPCB Chhatrapati Sambhajnagar is directed to ensure submission of fresh Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.
SRO - Jalna is directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



Annexure - I**Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)****A. Water Consumption Details:-**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	25.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	3.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	20.0	As per clause 'C'	50% recycle for flushing in toilet and 50% in Municipal Sewer Line
2	Trade effluent	2.0	As per clause 'C'	100% for gardening

- C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Annexure - II**Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)**

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	--	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	0.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	0.00		
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	0.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	0.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
3	White (Translucent)	Waste sharps including Metals	0.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
4	Blue	a) Glassware	0.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
		b) Metallic body implants	0.00		

SCHEDULE-II

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Champavati Waste Management, Beed** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Aurangabad and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Performance		
1	To provide separate BMW storage facility as per CPCB Guidelines	Six Month	50,000.00
2	To provide STP & ETP with adequate capacity	Six months	100,000.00
Total			1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.



SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Aurangabad.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.





महाराष्ट्र MAHARASHTRA

2024

14AB 107010

पादल प्रतिज्ञापनासाठी
१) मुद्रांक विक्री मॉडेलची अनु.क्र. /दि


२) मुद्रांक विकत घेणाऱ्याचे नांव, रहिवासाचा
पत्ता व सही

मुद्रांक विक्रेता वीड
न.क्र. ९ सह द. नि. का

२३/१/२०२४

क. वा. पाठक

चक्रपूज आदित्य टाड्डेकर
हस्त लिखित



MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 1st Day January month 2024
Year between

Tidke Hospital, Beed Hospital which is represented by its **Medical Director**
herein named as party one

and

Aditya Basic B.Sc. Nursing College, Sarda Estate, Pimpalner Road, Beed
College of Nursing represented by its **Principal** herein named as party two

The parties hitherto agree as follows:

1. Party one declares that **Tidke Hospital** is a **35 bedded** hospital, with a minimum of 10 beds for General Medicine Department.
2. Party one agrees to provide to party two the minimum space necessary of 1200 square feet in the hospital building to establish Nursing Practice department for the conduct of Practical.

3. Party one agrees to provide preceptors required to train the Nursing students.
4. Party one agrees that, it will not enter into similar agreement with any other Nursing institution/s or department/s offering or intend to offer Nursing programs.
5. The prospective students will be allowed to undergo training in the following specialty departments
 - Medicine
 - Surgery
 - Pediatrics
 - Gynecology and Obstetrics
 - Psychiatry
 - Skin and VD
 - Orthopedics
6. Party two will provide the academic staff and necessary infrastructure for Nursing course as per the MNC norms and takes the overall responsibility for smooth conduct of the programs.
7. This agreement is to be in effect at least for ten years from the time of its endorsement by both the parties. The Hospital will not sign the MOU for sharing of the hospital facilities with any other Nursing institution till the present agreement / MOU is in effect.
8. The officials representing **Dr. Sunil Tidke, Tidke Hospital** and **Mr. Shreeshailya Patil** Principal, Aditya Basic B.Sc. Nursing College are signing this MOU to achieve the beneficial objectives of Nursing programs.


Signature

Hospital authority [party one]


Signature

Principal, [party two]
Aditya Basic B.Sc. Nursing College



DEPARTMENT OF PUBLIC HEALTH

Certification Of Registration

Under the Bombay Nursing Homes Registration Act, 1949 and Maharashtra Nursing Home Regulation Rules Amendment 2021
(Under Rule 5)

This is to certify that

Shri. /Smt./Dr. **Sunil Bhagwanrao Tidke** has been registered under the Bombay Nursing Homes Registration Act Amendment 1949 in respect of **TIDKE HOSPITAL** situated at **1-7-1689 IN FRONT OF SOMESHWAR NAGAR BARSHI ROAD BEED BEED 431122** and has been authorized to carry on the said Nursing Home.

No. of Beds


A. Maternity Count	: 25
B. ICU(Adult) Count	: 0
C. ICU(Pediatric) Count	: 0
D. Other Count	: 10

Office of the
Civil Surgeon Beed
Cut Ward No. 25 / 2026
Date: 14.05.2026

Total : : 35

Registration Number : **MH/BEED/NH2204**
Date of Registration : **16-03-2026**
Date of Issues Certificate : **14-05-2026**
Certificate is Valid upto : **31-03-2029**
Place : **BEED**




Civil Surgeon
Dist. Hospital Beed,
Beed,



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Application for Consent/ Authorisation

Sir,
I/We hereby apply for*

1. Consent to Establish/Operate/Renewal of consent under section 25 and 26 of the Water (Prevention & Control of Pollution) Act, 1974 as amended.
2. Consent to Establish/Operate/Renewal of consent under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981, as amended.
3. Authorization/renewal of authorization under Bio-Medical Wastes Management Rules, 2016 as amended, Hazardous waste (M.& TM)n Rules, 2016, in connection with my/our/existing/proposed activity from the premises as per the details given below.

1. General Information

UAN No:
MPCB-CONSENT-0000280672

Application submitted on:
10-03-2026

Industry Information

Industry Type:	Category:	Scale:
O88 Health-care Establishment (as defined in BMW Rules)	Orange	S.S.I

Consent To:	Submit to:
Operate (1st Operate)	SRO - Jalna

Consent to Establish Details

Consent to Establish No.	Consent to Establish Grant date	Consent to Establish Valid Upto
	01-01-1970	01-01-1970
Authorization No.	Authorization Grant date	Authorization Valid upto
RO-AURANGABAD/BMW-AUTH/2205000041	02-05-2022	31-12-2024

Particulars of Applicant (Owner/Occupier/Any other Authorised Person)

First Name	Father / Husband Name
Dr. SUNIL	BHAGWANRAO

Mobile No	Telephone/Fax
9823089899	

PAN No	Address
AGMPT7026R	TIDKE HOSPITAL, BARSHI ROAD BEED TQ.DIST.BEED

Last Name	Designation
TIDKE	PROPRITOR
Email	Aadhar No
suniltidke@gmail.com	899784098158
Pin Code	
431122	

Health Care Facility (HCF) Information

a) Name of the Health Care Facility

TIDKE HOSPITAL

b) Address for Correspondance

Pin Code 431122	District Beed	City/Town Bid
Survey/Gut No. 1	Name of premises /Building TIDKE HOSPITAL	Road/Street BARSHI ROAD BEED
Area/Locality Beed	Email suniltidke@gmail.com	Website URL

c) Onwership of Facility

Private (Proprietary Establishment)

Land Ownership

Self Owned

d) Month and year of commissioning of the HCF

23/07/2025

e) Area of the Facility / Hospital

i) Total plot area (in square meter) 741.30	ii) Built up area (in square meter) 512	iii) Open Plot Area (Sq.Mtr) 20.00
---	---	--

f) Enter Latitude and Longitude of site (In degrees)

Latitude (In degrees) 18.97	Longitude (In degrees) 75.75
---------------------------------------	--

g) Does HCF have Operation Theatre

No

Number of OT

1

h) Does HCF have Laundry facility in premises

i) Does HCF have Canteen/Cafeteria facility in premises

j) ☒ Does HCF have Hostel/Residential quarters in premises

3. BMW Authorization Details

a) Type of health treatment system

Medicine

b) Bombay Nursing Home Registration Details

Total number of Beds 35	BNH Registration Number B90	Valid Upto 31-03-2026	First Issued Date 06-04-2023
-----------------------------------	---------------------------------------	---------------------------------	--

Certificate issuing Authority

Civil Surgeon

c) Diagnostic and Pharma facilities available in premises

Pathology Lab No

Blood Bank No

d) Whether HCF intended to Sale / Handover liquid BMW for R&D purpose

Category wise Bio-Medical Waste Collected ,Treated,Disposed

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/M)
1	Yellow	a) Human Anatomical waste	5.00
		b) Animal Anatomical Waste	0
		c) Soiled Waste	4.00
		d) Expired or Discarded Medicines	0
		e) Chemical Waste	0
		f) Chemical Liquid Waste	0
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	0
		h) Microbiology Biotechnology and other clinical laboratory waste	0
2	Red	Contaminated waste (Recyclable)	2.00
3	White (Translucent)	Waste sharps including Metals	2.00
4	Blue	a. Glassware	2.00
		b. Metallic body implants	0

Do you Have Equipment Installed for Pretreatment of Yellow (g), (h) Category Waste

No

Whether you have establish a Bar-Code system for Bag or Containers containing Bio-Medical waste

No

Common Facility Membership Details (CTF)

CTF Name

M/s. Champavati Pollution Control Society, Beed.

Membership Number

CWM2122000291

Issued Date

22-12-2026

4.Consent Details

a) Sources of Water

i) Surface Water No

ii) Ground Water No

iii) Tanker Water Yes

Quantity of water (CMD) Source of tanker water (Surface,Borewell etc.)

13 SURFACE

b) Water Consumption Details

Raw Water (CMD)

13

Recycle Water (CMD)

Total Water Quantity Requirement (CMD)

13.00

c) Water consumption for different uses (CMD)

Purpose	Consumption	Effluent Generation	Disposal
Domestic Pourpose	13	1	Local Bodies Sewer
Pathology Laboratory, Floor washing, Operation Theater	0	0	Local Bodies Sewer
Laundry	0	0	Local Bodies Sewer
Industrial Cooling,spraying in mine pits or boiler feed	0	0	Local Bodies Sewer

13.00

1.00

d) Waste Water Treatment

Have you installed STP or ETP

No

e) Other waste generation details

1) Municipal Solid Waste**a) Biodegradable Waste(kg/day)**

0

b) Recyclable Waste(kg/day)

0

c) Domestic Hazardous Waste(kg/day)

0

Air Pollution

Whether D.G. Set Installed

No

Do you have Boiler Installed

No

Do you have adequate facility for collection of samples of emissions in the form of port holes, platform, ladder/etc. As per Central Board Publication "Emission regulations Part-III" (December, 1985)

Port hole

No

Platform

No

Ladder

No

Parameter	Permissible Limiting concentration	Latest 3 Sampling Dates		
		1st Date	2nd Date	3rd Date
		NA	NA	NA
Particulate matter	50 mg/Nm ³	0	0	0
Nitrogen oxides	400 mg/Nm ³	0	0	0
HCL	50 mg/Nm ³	0	0	0
Total Dioxins and Furans	0.1 ng TEQ/Nm ³ (at 11% O ₂)	0	0	0
Heavy metals and its compounds	0.05 mg/Nm ³	0	0	0

Whether you have provided Online Continuous Emission Monitoring Systems (OCEMS)

No

Quantity of ash generated from Boiler (Tonnes/ month):**Mode of Disposal of Boiler ash****Provision Of Alternate Electric Supply**

No

Separate Electricity Meter Provided to Pollution control Devices

No

Hazardous Waste

CHWSDF Details

CHWTDF Facility Name

NA

CHWTDF Membership Number

0

Hazardous Waste Details		
Description	Waste Category	Quantity in MT/Month

Incineration Ash	37.3	0
STP/ETP		
Used Oil	35.3	0
		0

Non-Hazardous Waste aspect					
Description	Quantity	UOM	Treatment	Treatment	Remarks

5. Additional Information

Do you have Bio Medical Waste Management Committee Constituted

No

Average Cost (O & M) for ETP/STP

Average Cost of APCD Rs/Year

Brief details of tree plantation/green belt development within applicant's premises

Open Space Availability	Plantation Done On	Number of Trees Planted
25	20	20

Whether Environmental Statement submitted

No

Environmental Statement submitted Date

01-01-1970

Any other additional information that the applicants desires to give

Do you have Infection Control Committee Constituted

No

6. Financial Details

Is there any Bank Gurantee Impose on you during previous Consent/Authorization period.

No

Bank Gurantee Number	Date	Valid Up To	Amount	Bank Name	Branch
C	01-01-1970	NA	0	NA	NA

Additional Bank Gurantee Details, if Any					
Bank Gurantee Number	Date	Valid Up To	Amount	Bank Name	Branch
0	01-01-1970	NA	0	NA	NA



Champavati Waste Management
Shinde Building In front of Mukta Loance Barshi Road Beed
Shinde Building In front of Mukta Loance Barshi Road Beed - 431122
Phone No: 9970147400
Email Id: bmwbeed@gmail.com



Unique Registration No.: BDHP0003



Registration Certificate



Outward No.: CWM/24-25/000632

Date: 01-Apr-2025

This is to certify that **TIDKE HOSPITAL, OPP.SOMESHWAR NAGAR, NEAR AMAN LOWNES, BARSHI ROAD BEED - 431122** is registered with Champavati Waste Management, Beed for Management of Bio Medical Waste in accordance with, the provision of Bio Medical Waste Management Rules, 2016, as amended and in compliance with the provisions of CPCB guidelines.

1. Authorized Person of HCE (Name and Designation)	DR. SUNIL BHAGWANRAO TIDKE DOCTOR
2. Bombay Nursing Home Act Registration Details	
a. BNH Registration Number	B-90
b. BNH Issue Date	08-Aug-2008
c. Total Number of Beds	35
d. BNH Validity (Form 'C')	31-Mar-2023
3. Common Treatment Facility Registration Details	
a. Date of Registration	01-Apr-2025
b. No. of Beds Registered	35
c. Registration Validity	31-Mar-2026
4. Renewal of CTF Membership (if applicable)	
a. Renewal Date	31-Mar-2026
b. No. of Beds Registered	35
5. MPCB Consent (Establish/ 1 st Operate/Renewal) Details	
a. Consent/ CCA Number	2205000041
b. Issue Date	02-May-2022
d. Validity up to	31-Dec-2024




For Champavati Waste Management

Note : HCE shall display copy of Registration Certificate at front Desk and Temporary BMW storage area.

जा.इ.जि.क.वीड-510/24



Certificate of Registration Under Section 5 of
the Bombay Nursing Homes



Registration Act, 1949
(Under Rule 5)

This is to Certify that Shri/Shrimati Dr. Rohit Toshniwal

" Swami Vivekanand Multi-specialty Hospital has been registered under

District Hospital, Beed Situated at Balasahab Thakur Nagar,
Next to St. Ann's School, Jaha Rd.,
and has been authorised to carry on the said Nursing Home. Beed.

Registration No. B-140 Maternity.....Cots.....

Date of Registration 14/15 Other Nursing Patients 55 Cots Fifty Five

Place: Beed

Date of Issue of Certificate: 03/05/2024

This Certificate shall be valid up to 31st March 2027

Csb24
03/05/24

LOCAL SUPERVISORY AUTHORITY

Civil Surgeon

District Hospital, Beed.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: psa@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

ORANGE/S.S.I

Date: 05/09/2025

No:- Format1.0/PSO/UAN No.0000254933/CO/2509000426

To,
M/s. Swami Vivekanand Multispecialist Hospital,
Plot. No. 01, Balasaheb Thakre Nagar, Netradham
Road, Near Saint Ann's School, Beed,
Tal & Dist - Beed - 431122.
Email: rohittoshniwal83@gmail.com
Contact No.: 9145156006



Grant of Combined Renewal of Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:**
1. Combined Consent to Establish & 1st Operate and BMW Authorization (CCA) for 55 Beds is granted by the Board vide no. Format1.0/PSO/UAN No.0000189664/CO/2402001222 on 14/02/2024 valid till 12/09/2025.
 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 23/07/2025
 3. This office scrutiny letter was issued on 05/08/2025
 4. This office SCN for refusal on 21/08/2025
 5. Reply to SCN for Refusal submitted on 26/08/2025, 03/09/2025 & 04/09/2025

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Combined Renewal of Consent to Operate and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **12-09-2025 To 11-09-2029**

2. HCF Area : - Plot Area 648.00 M² with Built-up area 1923.00 M².

3. Activities Included

a. Total Number of Beds : **55 Nos.** (As per BNH certificate no. 140 valid upto 31-03-2027)

4. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 21 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**

3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

5. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

6. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	As per Actual	Kg/Annum	Municipal Landfill

7. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

8. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Champavati Waste Management, Beed** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
9. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
10. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.

11. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
12. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
13. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
14. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
15. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
16. As per your application, the laundry activity is outsourced. Therefore, you are strictly prohibited from conducting any laundry activity within the premises of your hospital.
17. You should ensure that the hospital operates with a valid registration certificate under the Bombay Nursing Home (BNH) Act and holds an active membership with a Common Biomedical Waste Treatment Facility (CBWTF).
18. The CCA consent is issued after receiving penal charges of Rs. 7,500/- for delay in submission of the CCA application for Renewal of Consent as per the Boards circular dtd. 28/04/2025.
19. This CCA consent is issued after receipt of 12% interest on the Bank Guarantee of Rs. 1.0 Lakh, Calculated as Rs. 17,688/- (Payment received).
20. You shall submit the bank guarantee of Rs. 50,000/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Chhatrapati Sambhajinagar within 15 days. Non submission of B.G. in a specified time shall attract 12% penal interest on BG amount.

This consent is issued on the basis of information/documents submitted by the Applicant/Project Proponent, if it has been observed that the information submitted by the Applicant/Project Proponent is false, misleading or fraudulent, the Board reserves its right to revoke the consent & further legal action will be initiated against the Applicant/Project Proponent.



Signature



Signed by: Dr. Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2025-09-05 14:24:53 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	45000.00	TXN2507005320	23/07/2025	Online Payment
2	7500.00	TXN2508000670	04/08/2025	Online Payment
3	2688.00	TXN2509000617	04/09/2025	Online Payment

Copy to:

1. Regional Officer, MPCB, Chhatrapati Sambhajanagar and Sub-Regional Officer, MPCB, Jalna
- Regional Officer, MPCB Chhatrapati Sambhajanagar is directed to ensure submission of Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.
SRO - Jalna is directed to ensure the compliance of the CCA conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)**A. Water Consumption Details:-**

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	20.00
3.	Pathology Laboratory, Floor washing, Operation Theater	1.00
4.	Laundry	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	16.0	As per clause 'C'	50% recycle for flushing in toilet and 50% in local Sewer Line
2	Trade effluent	0.8	As per clause 'C'	100% for gardening

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

- D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.
- H. All Health Care Facilities irrespective of the bed capacity shall install scientifically designed disinfection facilities before discharging the effluent into sewer line or reuse in the premises as stipulated under Schedule II (6) of Biomedical waste Management Rules, 2016.

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	NA	0	--	-

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	40.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	75.00		
		d) Expired or Discarded Medicines	1.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	25.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	20.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize onsite World Health Organization guidelines thereafter sent to BMW CTF for Incineration.
2	Red	Contaminated waste (Recyclable)	75.00	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
3	White (Translucent)	Waste sharps including Metals	55.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
4	Blue	a) Glassware	13.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Champavati Waste Management, Beed Beed
		b) Metallic body implants	1.00		

Responsibilities of HCF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Champavati Waste Management, Beed** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Chhatrapati Sambhajnagar and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).

SCHEDULE-III**Bank Guarantees**

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Records		
1	To comply the conditions mention in Combined Consent to Operate / Renewal and BMW Authorization (CCA)	Continuous	50,000.00
Total			50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days from the date of issue of Consent.

If the above Bank Guarantee is not submitted within stipulated period, then 12% interest will be levied as a penalty as per circular dtd 29/02/2024 No. BO/MPCB/AS(T)/Circular/B-240229FTS0122

General Conditions**The following general conditions shall apply:-**

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Chhatrapati Sambhajanagar.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.
15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



महाराष्ट्र MAHARASHTRA


2022

39AA 786541

१) मुद्रांक विक्री नोंदवही अनु. क्र. १२
२) मुद्रांक मिळव घेणाऱ्याचे नांव, रहिवासाचा
पत्ता व सही

क. वा. पाठक
मुद्रांक विक्रीचा अधिकारी
प.क्र. १ पाठक इ. नि. क.

५०० दि ८१६
२०२३
आदित्य लज्जुडकर
६ फे ८६०६६ रुमांड



MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 18th Day July month 2024 Year between
Mauli Mind Care Hospital, Beed Hospital which is represented by its Medical Director
herein named as party one

And

Aditya Basic B.Sc. Nursing Sarda Estate, Pimpalner Road, Beed College of Nursing
represented by its Principal herein named as party two

The parties hitherto agree as follows:

1. Party one declares that Mauli Mind Care Hospital, Beed is a 70 bedded hospital, with a minimum of 20 beds for Psychiatric Department.
2. Party one agrees to provide to party two the minimum space necessary of 1200 square feet in the hospital building to establish Nursing Practice department for the conduct of Practical.
3. Party one agrees to provide preceptors required to train the Nursing students.
4. Party one agrees that, it will not enter into similar agreement with any other Nursing institution/s or department/s offering or intend to offer Nursing programs.


5. The prospective students will be allowed to undergo training in the following specialty departments
 - Psychiatry
6. Party two will provide the academic staff and necessary infrastructure for Nursing course as per the MNC norms and takes the overall responsibility for smooth conduct of the programs.
7. This agreement is to be in effect at least for ten years from the time of its endorsement by both the parties. The Hospital will not sign the MOU for sharing of the hospital facilities with any other Nursing institution till the present agreement / MOU is in effect.
8. The officials representing **Dr. Rahul Mogale, Mauli Mind Care Hospital, Beed** and **Mr. Shreeshailya Patil Aditya Basic B.Sc. Nursing, Principal** are signing this MOU to achieve the beneficial objectives of Nursing programs.



[Signature]
Hospital authority [party one]



[Signature]
Principal, [party two]
Aditya Basic B.Sc. Nursing
BEFORE ME
[Signature]
Adv.KEKAN G.M.
ADVOCATE NOTARY
Dist. Court Beed.



Noted and Listed at BEED.

Sr.No. 20204 Notary
Register Date- 16/1/2021

FFIDAVIT

Sworn before me by

The principal of Aditya Basic B.Sc. Nursing

on the day of 16/1/2021

who has been identified by *[Signature]*

who is personally known to me

and whose signature is/are here

is appended below date 16/1/2021

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 02482 - 220120
Fax: 02482 - 220120
Website: <http://mpcb.gov.in>
Email: sroaurangabad2@mpcb.gov.in



Plot no. P - 3/1 & P - 3/2,
MIDC Area Jalna, Jalna
Aurangabad Road, Jalna
431203

GREEN/S.S.I (G15)
No:- Format1.0/SRO/UAN
No.0000159795/CO/2301002162

Date: 27/01/2023

To,
Mauli Mind Care
D. P. Road,
Tal. Dist. Beed,



Your Service is Our Duty

Sub: Grant of consent to Operate for renewal

Ref: Application vide UAN MPCB-CONSENT-0000159795 Your

application No.MPCB-CONSENT-0000159795 Dated 19.01.2023

For: Grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. Consent to operate for renewal is granted for period upto 30/11/2027
2. The capital investment of the project is Rs.4.0284 Crs. (As per C.A Certificate submitted by institute.)
3. Consent is valid for the manufacture of:

Sr No	Product	Maximum Quantity	UOM
Products			
1	Hospital	18510	Qnt/M
2			
3			
4			

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	0.1	As per Schedule-I	On land for gardening
2.	Domestic effluent	1.0	As per Schedule-I	Soaked in soak pit

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

[Signature]
Principal

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
NA				

6. Non-Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
NA					

7. Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
NA					

- The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent. (Operate/Renewal)



d5bfd0a2
b27e3384
49926e69
2f6d24fa
7f414cfb
5da98f4f
2c932cca
b773c269

Signed by: S M Kurmude
Sub Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
srojalna@mpcb.gov.in
2023-01-27 13:12:15 IST

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	30000.00	TXN2301003210	19/01/2023	Online Payment

Copy to:

- Regional Officer, MPCB, Aurangabad
- Chief Accounts Officer, MPCB, Sion, Mumbai

Principal

Aditya Basic B.Sc.Nursing
College, Beed-431122